

**NATIONAL LEPROSY ELIMINATION PROGRAMME**  
**DISTRICT-WISE PROPORTION OF DEFORMITY GRADE - II**  
**FOR THE YEAR 2010-11**

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>ANDHRA PRADESH</b>				
1	Adilabad	346	4	1.16
2	Ananthapur	392	28	7.14
3	Chittor	342	27	7.89
4	Cuddapah	251	18	7.17
5	E.Godavari	459	7	1.53
6	Guntur	524	34	6.49
7	Hyderabad	206	16	7.77
8	Karimnagar	294	3	1.02
9	Khammam	277	9	3.25
10	Krishna	314	24	7.64
11	Kurnool	456	46	10.09
12	Mahboob Ngr	293	16	5.46
13	Medak	331	24	7.25
14	Nalgaonda	369	10	2.71
15	Nellore	265	9	3.40
16	Nizamabad	172	3	1.74
17	Prakasam	238	5	2.10
18	Rangareddy	244	4	1.64
19	Srikakulam	329	12	3.65
20	Vizianagaram	355	14	3.94
21	Visakhapatnam	359	10	2.79
22	W. Godavari	353	23	6.52
23	Warrangal	279	1	0.36
<b>TOTAL=23</b>		<b>7448</b>	<b>347</b>	<b>4.66</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>ARUNACHAL PRADESH</b>				
24	Chang Lang	2	0	0.00
25	Lower Dibang Valley	0	0	0.00
26	East Kameng	3	0	0.00
27	East Siang	3	0	0.00
28	Lower Subansari	1	0	0.00
29	Lohit	3	0	0.00
30	Papumpare	12	1	8.33
31	Tirap	0	0	0.00
32	Tawang	1	0	0.00
33	Upper Siang	1	0	0.00
34	Upper Subansari	2	0	0.00
35	West Kameng	2	0	0.00
36	West Siang	2	0	0.00
37	Upper Dibang Valley	0	0	0.00
38	Kurung Kumey	0	0	0.00
39	Anjaw	0	0	0.00
<b>TOTAL=16</b>		<b>32</b>	<b>1</b>	<b>3.13</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>ASSAM</b>				
40	Baska	4	0	0.00
41	Barpeta	9	0	0.00
42	Bongaigaon	18	0	0.00
43	Cachar	57	14	24.56
44	Chirang	8	5	62.50
45	Darrang	9	0	0.00
46	Dhemaji	16	2	12.50
47	Dhubri	33	1	3.03
48	Dibrugarh	167	4	2.40
49	Golaghat	34	1	2.94
50	Goalpara	12	3	25.00
51	Hailakandi	8	0	0.00
52	Jorhat	55	5	9.09
53	K. Anglong	27	4	14.81
54	Kamrup®	11	3	27.27
55	Kamrup(M)	234	30	12.82
56	Karimganj	6	1	16.67
57	Kokrajhar	15	0	0.00
58	Lakhimpur	42	4	9.52
59	Morigaon	11	3	27.27
60	Nalbari	10	0	0.00
61	Nc Hills (Dima Hasao)	7	1	14.29
62	Nagaon	66	4	6.06
63	Sivsagar	185	6	3.24
64	Sonitpur	66	5	7.58
65	Tinsukia	132	9	6.82
66	Udalguri	10	0	0.00
	<b>TOTAL=27</b>	<b>1252</b>	<b>105</b>	<b>8.39</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>BIHAR</b>				
67	Araria	954	6	0.63
68	Arwal	213	3	1.41
69	Aurangabad	544	4	0.74
70	Banka	587	4	0.68
71	Begusarai	360	10	2.78
72	Bhagalpur	583	11	1.89
73	Bhojpur	359	4	1.11
74	Buxar	272	5	1.84
75	Darbhanga	768	4	0.52
76	E.Champaran	711	8	1.13
77	Gaya	1029	16	1.55
78	Gopalganj	400	1	0.25
79	Jehanabad	344	2	0.58
80	Jamui	264	0	0.00
81	Khagaria	187	1	0.53
82	Kaimur	346	9	2.60
83	Katihar	336	2	0.60
84	Kishanganj	673	0	0.00
85	Lakhisarai	306	0	0.00
86	Madhepura	454	10	2.20
87	Madhubani	1072	17	1.59
88	Muzaffarpur	651	11	1.69
89	Munger	260	3	1.15
90	Nalanda	750	5	0.67
91	Nawada	572	11	1.92
92	Patna	1121	22	1.96
93	Purnia	687	3	0.44
94	Rohtas	870	7	0.80
95	Saharsa	265	7	2.64
96	Samastipur	479	15	3.13
97	Saran	912	21	2.30
98	Sheikhpura	168	0	0.00
99	Sheohar	111	0	0.00
100	Sitamarhi	624	13	2.08
101	Supaul	529	3	0.57
102	Siwan	710	34	4.79
103	Vaishali	499	8	1.60
104	W.Champaran	577	27	4.68
	<b>TOTAL=38</b>	<b>20547</b>	<b>307</b>	<b>1.49</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>CHHATTISGARH</b>				
105	Bastar	298	23	7.72
106	Bilaspur	890	23	2.58
107	Dantewara	29	9	31.03
108	Dhamtari	212	8	3.77
109	Durg	880	35	3.98
110	Janjgir	726	53	7.30
111	Jashpur	137	3	2.19
112	Kanker	47	1	2.13
113	Kawardha	210	13	6.19
114	Koriya	0	0	0.00
115	Korba	299	21	7.02
116	Mahasamund	812	24	2.96
117	Raigarh	830	49	5.90
118	Raipur	1501	65	4.33
119	Rajnandgaon	262	24	9.16
120	Surguja	159	14	8.81
121	Narayanpur (B)	8	2	25.00
122	Bejjapur (D)	22	0	0.00
	<b>TOTAL = 18</b>	<b>7322</b>	<b>367</b>	<b>5.01</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>GOA</b>				
123	North Goa	39	1	2.56
124	South Goa	31	2	6.45
	<b>TOTAL =2</b>	<b>70</b>	<b>3</b>	<b>4.29</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>GUJARAT</b>				
125	Ahmedabad	163	3	1.84
126	Amreli	24	1	4.17
127	Anand	85	9	10.59
128	Banaskantha	42	5	11.90
129	Bhavnagar	60	1	1.67
130	Bharuch	703	8	1.14
131	Dangs	112	4	3.57
132	Dahod	695	16	2.30
133	Gandhi Ngr	43	2	4.65
134	Jamnagar	51	0	0.00
135	Junagarh	62	0	0.00
136	Kheda	139	6	4.32
137	Kachhch - Bhuj	23	0	0.00
138	Mehsana	21	6	28.57
139	Narmada	236	5	2.12
140	Navsari	669	13	1.94
141	Panchmahal	785	14	1.78
142	Patan	13	0	0.00
143	Porbandar	13	0	0.00
144	Rajkot	90	4	4.44
145	Surendra Nagar	38	0	0.00
146	Sabarkantha	70	4	5.71
147	Surat	1522	58	3.81
148	Vadodara	864	17	1.97
149	Valsad	786	25	3.18
150	Tapi	0	0	0.00
	<b>TOTAL=26</b>	<b>7309</b>	<b>201</b>	<b>2.75</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>HARYANA</b>				
151	Ambala	13	0	0.00
152	Bhiwani	7	0	0.00
153	Faridabad	76	0	0.00
154	Fatehabad	5	0	0.00
155	Gurgaon	3	0	0.00
156	Hissar	8	1	12.50
157	Jind	2	0	0.00
158	Karnal	33	0	0.00
159	Kaithal	3	0	0.00
160	Kurukshetra	11	0	0.00
161	Narnaul	9	0	0.00
162	Panipat	57	0	0.00
163	Rohtak	8	0	0.00
164	Jajjar	5	0	0.00
165	Sirsa	3	0	0.00
166	Sonipat	27	0	0.00
167	Yamunangr	43	0	0.00
168	Panchkula	3	0	0.00
169	Rewari	4	0	0.00

170	Mewat	1	0	0.00
171	Palwal	0	0	#DIV/0!
	<b>Total = 21</b>	<b>321</b>	<b>1</b>	

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>HIMACHAL PRADESH</b>				
172	Bilaspur	7	0	0.00
173	Chamba	12	4	33.33
174	Hamirpur	9	0	0.00
175	Kangra	37	11	29.73
176	Kinnaur	5	1	20.00
177	Kullu	18	4	22.22
178	L& Spiti	0	0	0.00
179	Mandi	15	1	6.67
180	Shimla	32	8	25.00
181	Sirmour	18	1	5.56
182	Solan	52	0	0.00
183	Una	9	0	0.00
	<b>TOTAL=12</b>	<b>214</b>	<b>30</b>	<b>14.02</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>JAMMU &amp; KASHMIR</b>				
<b>JAMMU DIVISION</b>				
184	Doda	7	0	0.00
185	Jammu	94	2	2.13
186	Kathua	25	0	0.00
187	Poonch	14	0	0.00
188	Rajouri	19	0	0.00
189	Udhampur	10	1	10.00
190	Samba	8	0	0.00
191	Reasi	2	0	0.00
192	Ramban	7	0	0.00
193	Kishtwar	2	0	0.00
<b>KASHMIR DIVISION</b>				
194	Anantanag	3	0	0.00
195	Budgam	0	0	0.00
196	Baramula	0	0	0.00
197	Kargil	0	0	0.00
198	Kupwara	8	0	0.00
199	Leh	0	0	0.00
200	Pulwama	4	0	0.00
201	Srinagar	3	0	0.00
202	Shopian	2	0	0.00
203	Kulgam	2	0	0.00
204	Ganderbal	0	0	0.00
205	Bandipore	1	0	0.00
	<b>TOTAL=22</b>	<b>211</b>	<b>3</b>	<b>1.42</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	<b>JHARKHAND</b>			
206	Bokaro	185	7	3.78
207	Chatra	123	1	0.81
208	Deogarh	263	5	1.90
209	Dhanbad	106	0	0.00
210	Garhwa	257	2	0.78
211	Giridih	197	2	1.02
212	Godda	223	2	0.90
213	Gumla	133	2	1.50
214	Hazaribagh	174	2	1.15
215	Jamtara	103	4	3.88
216	Koderma	68	1	1.47
217	Latehar	113	5	4.42
218	Lohardagga	65	2	3.08
219	Pakur	114	4	3.51
220	Palamu	271	6	2.21
221	Ranchi	520	8	1.54
222	Saraikela	351	9	2.56
223	Sahebganj	109	4	3.67
224	Santal Pargana(Dumka)	212	5	2.36
225	Simdega	65	1	1.54
226	East Singhbhum	366	5	1.37
227	West Singhbhum (Chaibasa)	276	3	1.09
228	Ramgarh	78	4	5.13
229	Khunti	76	0	0.00
	<b>TOTAL = 24</b>	<b>4448</b>	<b>84</b>	<b>1.89</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>KARNATAKA</b>				
230	Bagalkote	92	3	3.26
231	Belgaum	273	3	1.10
232	Bellary	305	4	1.31
233	Bidar	173	8	4.62
234	Bijapur	162	3	1.85
235	Bangalore (R)	38	3	7.89
236	Bangalore (U)	416	17	4.09
237	Chamrajnagar	149	3	2.01
238	Chikmagalur	20	4	20.00
239	Chitradurga	129	3	2.33
240	Devangere	215	6	2.79
241	D.Kannada	49	2	4.08
242	Dharwad	194	12	6.19
243	Gadag	103	1	0.97
244	Gulbarga	179	11	6.15
245	Haveri	151	0	0.00
246	Hassan	24	0	0.00
247	Kodagu	3	0	0.00
248	Koppal	91	0	0.00
249	Kolar	39	0	0.00
250	Mandya	55	1	1.82
251	Mysore	114	4	3.51
252	Raichur	232	2	0.86
253	Shimoga	71	0	0.00
254	Tumkur	89	1	1.12
255	Udupi	90	16	17.78
256	Uttar Kannada	186	1	0.54
257	Chickkbalapur	83	0	0.00
258	Ramanagar	46	4	8.70
259	Yadgir	120	1	0.83
<b>TOTAL=30</b>		<b>3891</b>	<b>113</b>	<b>2.90</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>KERALA</b>				
260	Allappuzha	122	7	5.74
261	Kannur	77	8	10.39
262	Ernakulam	74	0	0.00
263	Iddukki	16	0	0.00
264	Kasargoda	30	2	6.67
265	Kottayam	13	0	0.00
266	Kollam	30	0	0.00
267	Kozikode	94	13	13.83
268	Mallapuram	53	6	11.32
269	Palakkad	166	10	6.02
270	Pathanamthita	12	0	0.00

271	Thrissur	128	14	10.94
272	Trivandrum	112	8	7.14
273	Wayanad	4	1	25.00
<b>TOTAL=14</b>		<b>931</b>	<b>69</b>	<b>7.41</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>MADHYA PRADESH</b>				
274	Alirajpur	145	17	11.72
275	Anooppur	93	0	0.00
276	Ashoknagar	50	0	0.00
277	Balaghat	126	1	0.79
278	Barwani	273	15	5.49
279	Betul	111	2	1.80
280	Bhind	141	12	8.51
281	Bhopal	271	27	9.96
282	Burhanpur	202	15	7.43
283	Chattarpur	182	3	1.65
284	Chhindwara	181	11	6.08
285	Damoh	70	4	5.71
286	Datia	63	1	1.59
287	Dewas	76	9	11.84
288	Dhar	216	11	5.09
289	Dhindori	20	1	5.00
290	Guna	75	7	9.33
291	Gwalior	173	15	8.67
292	Harda	98	2	2.04
293	Hoshangabad	113	5	4.42
294	Indore	258	4	1.55
295	Jabalpur	231	22	9.52
296	Jhabua	106	9	8.49
297	Katni	90	6	6.67
298	Khandwa	156	1	0.64
299	Khargone	316	27	8.54
300	Mandsaur	47	0	0.00
301	Mandla	66	9	13.64
302	Morena	140	3	2.14
303	Narsinghpur	132	5	3.79
304	Neemuch	58	15	25.86
305	Panna	94	10	10.64
306	Raisen	73	3	4.11
307	Rajgarh	79	1	1.27
308	Ratlam	39	5	12.82
309	Rewa	116	18	15.52
310	Sagar	136	2	1.47
311	Satna	47	1	2.13
312	Sehore	66	4	6.06
313	Seoni	68	7	10.29
314	Shahdol	97	5	5.15
315	Shajapur	84	6	7.14
316	Sheopurkala	26	2	7.69
317	Shivpuri	58	2	3.45
318	Sidhi	82	0	0.00
319	Singhrauli	68	1	1.47
320	Tikamgarh	101	0	0.00

321	Umaria	30	1	3.33
322	Ujjain	86	8	9.30
323	Vidisha	79	1	1.27
<b>TOTAL= 50</b>		<b>5708</b>	<b>336</b>	<b>5.89</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>MAHARASHTRA</b>				
324	Akola	234	2	0.85
325	Ahmednagar	181	3	1.66
326	Amravati	388	15	3.87
327	Aurangabad	253	2	0.79
328	Beed	206	0	0.00
329	Bhandara	534	6	1.12
330	Mumbai	792	77	9.72
331	Buldana	253	10	3.95
332	Chandrapur	1139	6	0.53
333	Dhule	574	8	1.39
334	Gadchiroli	499	9	1.80
335	Gondiya	382	5	1.31
336	Hingoli	127	2	1.57
337	Jalgaon	594	1	0.17
338	Jalna	134	3	2.24
339	Kolhapur	256	1	0.39
340	Latur	233	1	0.43
341	Nagpur	654	2	0.31
342	Nanded	404	6	1.49
343	Nasik	968	22	2.27
344	Osmanabad	177	2	1.13
345	Parbhani	220	0	0.00
346	Pune	553	33	5.97
347	Raigad	856	15	1.75
348	Ratnagiri	134	1	0.75
349	Sangli	143	1	0.70
350	Satara	263	2	0.76
351	Solapur	294	3	1.02
352	Sindu durg	91	5	5.49
353	Thane	2850	31	1.09
354	Wardha	284	2	0.70
355	Yavatmal	336	4	1.19
356	Nandurbar	368	9	2.45
357	Washim	124	0	0.00
<b>TOTAL=34</b>		<b>15498</b>	<b>289</b>	<b>1.86</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>MANIPUR</b>				
358	Bishnupur	1	0	0.00
359	Chura Chandpur	1	1	100.00
360	Chandel	2	0	0.00
361	Imphal East	8	2	25.00
362	Imphal West	5	1	20.00
363	Senapati	2	0	0.00

364	Thoubal	3	0	0.00
365	Tamenlong	3	0	0.00
366	Ukhrul	1	1	100.00
<b>Total = 9</b>		<b>26</b>	<b>5</b>	<b>19.23</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>MEGHALAYA</b>				
367	East Garo Hills	11	8	72.73
368	East Khasi Hills	10	6	60.00
369	Jaintia Hills	4	4	100.00
370	South Garo Hill	2	2	100.00
371	Ribhoi	25	24	96.00
372	West Garo Hills	8	6	0.00
373	West Khasi Hills	1	0	0.00
<b>TOTAL=7</b>		<b>61</b>	<b>50</b>	<b>81.97</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>MIZORAM</b>				
374	Aizwal East	2	0	0.00
375	Aizwal West	4	0	0.00
376	saiha	0	0	0.00
377	Lunglei	9	0	0.00
378	Champhai	0	0	0.00
379	Kolasib	0	0	0.00
380	Mamit	2	0	0.00
381	Serchhip	0	0	0.00
382	Lawngtlai	4	0	0.00
<b>TOTAL=9</b>		<b>21</b>	<b>0</b>	<b>0.00</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>NAGALAND</b>				
383	Dimapur	36	18	50.00
384	Kohima	5	0	0.00
385	Mokokchung	1	0	0.00
386	Mon	18	0	0.00
387	Phek	0	0	0.00
388	Tuensang	9	0	0.00
389	Wokha	4	0	0.00
390	Zunheboto	0	0	0.00
391	Kipheri	0	0	0.00
392	Peren	3	0	0.00

393	Longleng	8	0	0.00
	<b>TOTAL= 11</b>	<b>84</b>	<b>18</b>	<b>21.43</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>ORISSA</b>				
394	Angul	357	30	8.40
395	Bolangir	476	2	0.42
396	Balasore	234	10	4.27
397	Baragarh	493	3	0.61
398	Bhadrak	161	5	3.11
399	Boudh	120	6	5.00
400	Cuttack	236	16	6.78
401	Deogarh	62	3	4.84
402	Dhenkanal	303	2	0.66
403	Gajapati	27	1	3.70
404	Ganjam	427	4	0.94
405	Jagatsinghpur	75	0	0.00
406	Jajpur	307	5	1.63
407	Jharsuguda	146	0	0.00
408	Kalahandi	329	11	3.34
409	Kendrapara	87	4	4.60
410	Keonjhar	203	4	1.97
411	Khurda	221	11	4.98
412	Koraput	240	26	10.83
413	Malkangiri	36	5	13.89
414	Mayurbhanj	513	15	2.92
415	Nayagarh	172	28	16.28
416	Nowrangpur	167	12	7.19
417	Nuapada	142	6	4.23
418	Phulbani	50	5	10.00
419	Puri	216	11	5.09
420	Rayagada	59	5	8.47
421	Sambalpur	294	17	5.78
422	Sonepur	204	4	1.96
423	Sundergarh	385	10	2.60
	<b>TOTAL=30</b>	<b>6742</b>	<b>261</b>	<b>3.87</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>PUNJAB</b>				
424	Amritsar	87	8	9.20
425	Bathinda	18	0	0.00
426	Faridkot	12	0	0.00
427	Fatehpur Sahib	25	1	4.00
428	Ferozpur	10	4	40.00
429	Gurdaspur	25	1	4.00
430	Jalandhar	83	2	2.41
431	Hoshiarpur	30	2	6.67
432	Kapurthala	52	2	3.85
433	Ludhiana	247	14	5.67
434	Mansa	7	3	42.86
435	Moga	16	0	0.00
436	Muktasar	11	0	0.00
437	Nawashahar	15	0	0.00
438	Patiala	47	0	0.00

439	Roopnagar	32	2	6.25
440	Sangrur	26	0	0.00
441	SAS Nagar (Mohali)	40	0	0.00
442	Tarn Taran	23	2	8.70
443	Barnala	13	0	0.00
	<b>TOTAL=20</b>	<b>819</b>	<b>41</b>	<b>5.01</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>RAJASTHAN</b>				
444	Ajmer	31	0	0.00
445	Alwar	66	4	6.06
446	Banswara	15	0	0.00
447	Barmer	15	0	0.00
448	Baran	58	2	3.45
449	Bharatpur	22	0	0.00
450	Bhilwara	34	3	8.82
451	Bikaner	23	0	0.00
452	Bundi	17	1	5.88
453	Chittorgarh	18	0	0.00
454	Churu	24	0	0.00
455	Dausa	23	0	0.00
456	Dholpur	10	1	10.00
457	Dungarpur	15	0	0.00
458	Ganganagar	20	4	20.00
459	Hanumangarh	7	1	14.29
460	Jaipur	217	19	8.76
461	Jaisalmer	4	0	0.00
462	Jalore	4	0	0.00
463	Jhalawar	74	5	6.76
464	Jhun Jhunu	14	0	0.00
465	Jodhpur	69	2	2.90
466	Karauli	14	1	7.14
467	Kota	59	1	1.69
468	Nagaur	32	0	0.00
469	Pali	22	4	18.18
470	Rajasamand	25	2	8.00
471	Sawai Madhopur	11	0	0.00
472	Sikar	20	1	5.00
473	Sirohi	14	0	0.00
474	Tonk	16	0	0.00
475	Udaipur	70	0	0.00
476	Pratapgarh	13	3	23.08
	<b>TOTAL=33</b>	<b>1076</b>	<b>54</b>	<b>5.02</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>SIKKIM</b>				
477	East District	11	0	0.00
478	North Dist.	0	0	0.00
479	South Dist.	5	0	0.00
480	West Dist.	0	0	0.00

<b>TOTAL=4</b>	<b>16</b>	<b>0</b>	<b>0.00</b>
----------------	-----------	----------	-------------

<b>S.No.</b>	<b>Districts</b>	<b>New cases detected during 2010-11</b>	<b>No. of cases with Grade-II deformity</b>	<b>Percentage</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
<b>TAMILNADU</b>				
481	Dindigul	110	2	1.82
482	Kanchepuram (Cheng.)	208	11	5.29
483	Coimbatore	129	4	3.10
484	Dharampuri	99	6	6.06
485	Erode	262	3	1.15
486	Virudhanagar (Kamarajar)	144	9	6.25
487	Nagercoil (Kanyakumari)	85	2	2.35
488	Chennai (Madras)	369	2	0.54
489	Madurai	228	1	0.44
490	Nagapattinam	84	0	0.00
491	Namakkal	120	4	3.33
492	Ooty (Nilgiris)	10	0	0.00
493	Padukottai	130	1	0.77
494	Ramnad (Ram.Puram)	81	5	6.17
495	Cuddalore (S.A.Vellalar)	201	3	1.49
496	Salem	268	14	5.22
497	Sivaganga	73	0	0.00
498	Thanjavur	191	6	3.14
499	Theni	81	7	8.64
500	Thiruvanamalai	227	5	2.20
501	Tirunelveli	196	12	6.12
502	Tiruchirappalli	161	11	6.83
503	Tuticorin (V.C.Chadam)	67	2	2.99
504	Vellore (North Arcot)	166	5	3.01
505	Villupuram	247	4	1.62
506	Tiruvellore	238	7	2.94
507	Tiruvarur	77	3	3.90
508	Karur	56	6	10.71
509	Perambalur	47	1	2.13
510	Krishnagiri	108	11	10.19
511	Ariyalur	63	2	3.17
512	Tiruppur	91	3	3.30
	<b>TOTAL=32</b>	<b>4617</b>	<b>152</b>	<b>3.29</b>

<b>S.No.</b>	<b>Districts</b>	<b>New cases detected during 2010-11</b>	<b>No. of cases with Grade-II deformity</b>	<b>Percentage</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>
<b>TRIPURA</b>				
513	North Tripura	1	0	0.00
514	South Tripura	3	0	0.00

515	West Tripura	22	6	27.27
516	Dhalai Tripura	3	0	0.00
	<b>TOTAL=4</b>	<b>29</b>	<b>6</b>	<b>20.69</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>UTTAR PRADESH</b>				
517	Agra	189	30	15.87
518	Aligarh	257	6	2.33
519	Allahabad	610	9	1.48
520	Ambedkar Nagar	252	10	3.97
521	Azamgarh	614	12	1.95
522	Badaun	848	11	1.30
523	Bagpat	27	0	0.00
524	Bahraich	939	25	2.66
525	Balrampur	267	1	0.37
526	Ballia	538	32	5.95
527	Banda	155	4	2.58
528	Barabanki	556	4	0.72
529	Bareilly	1010	29	2.87
530	Basti	292	6	2.05
531	Bijnor	471	34	7.22
532	Bulandshahar	175	9	5.14
533	Chitrakoot	72	3	4.17
534	Chandauli	264	3	1.14
535	Deoria	371	10	2.70
536	Etah	61	0	0.00
537	Etawah	116	1	0.86
538	Faizabad	378	24	6.35
539	Farrukhabad	174	2	1.15
540	Fatehpur	523	16	3.06
541	Ferozabad	106	0	0.00
542	Gautambudh Nagar	90	1	1.11
543	Ghaziabad	256	12	4.69
544	Gonda	319	5	1.57
545	Gorakhpur	513	7	1.36
546	Ghazipur	632	10	1.58
547	Hamirpur	121	5	4.13
548	Hathras	61	2	3.28
549	Hardoi	933	25	2.68
550	Jalaun (ORAI)	264	1	0.38
551	Jaunpur	448	5	1.12
552	Jhansi	199	3	1.51
553	Jyoti ba Phooley Nagar	438	5	1.14
554	Kannoj	337	6	1.78
555	Kanpur (R)	425	0	0.00
556	Kanpur (U)	575	12	2.09
557	Kaushambi	264	9	3.41
558	Kushi Nagar	480	10	2.08
559	Kheri	756	13	1.72
560	Lalitpur	109	2	1.83
561	Lucknow	544	4	0.74
562	Maharajganj	396	7	1.77

563	Mainpuri	137	6	4.38
564	Mahoba	134	1	0.75
565	Mathura	46	6	13.04
566	Mau	306	4	1.31
567	Meerut	126	0	0.00
568	Mirzapur	289	4	1.38
569	Moradabad	1160	43	3.71
570	Muzaffar Ngr	196	8	4.08
571	Auraiya	172	11	6.40
572	Pilibhit	458	11	2.40
573	Pratapgarh	193	5	2.59
574	Raibarielly	466	2	0.43
575	Rampur	304	5	1.64
576	Saharanpur	218	8	3.67
577	Srawasti	152	1	0.66
578	Shahjahanpur	652	18	2.76
579	Sidharth Ngr	287	20	6.97
580	Sitapur	1133	11	0.97
581	Sant Kabir Nagar	137	1	0.73
582	Sant Ravidas Nagar	214	2	0.93
583	Sonebhadra	218	11	5.05
584	Sultanpur	265	13	4.91
585	Unnao	414	14	3.38
586	Varanasi	344	10	2.91
587	Kashi Ram Nagar	63	5	7.94
	<b>TOTAL= 71</b>	<b>25509</b>	<b>645</b>	<b>2.53</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	<b>UTTARAKHAND</b>			
588	Almora	4	0	0.00
589	Bageshwar	7	0	0.00
590	Champawat	21	0	0.00
591	Chamoli	5	0	0.00
592	Dehradun	64	4	6.25
593	Haridwar	156	4	2.56
594	Nainital	26	1	3.85
595	Pauri Garhwal	28	0	0.00
596	Pithoragarh	3	1	33.33
597	Rudraprayag	3	0	0.00
598	Tehri Garhwal	8	0	0.00
599	Udhamsingh Nagar	202	3	1.49
600	Uttar Kashi	5	0	0.00
	<b>TOTAL = 13</b>	<b>532</b>	<b>13</b>	<b>2.44</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>WEST BENGAL</b>				
601	24 Parganas (North)	487	8	1.64
602	24 Parganas (South)	256	24	9.38
603	Bankura	1171	37	3.16
604	Birbhum	404	3	0.74
605	Burdwan	1133	27	2.38
606	Kolkata	540	48	8.89
607	Cooch Behar	270	0	0.00
608	North Dinajpur	654	13	1.99
609	South Dinajpur	359	5	1.39
610	Darjeeling	138	8	5.80
611	Hooghly	494	7	1.42
612	Howrah	171	2	1.17
613	Jalpaiguri	481	39	8.11
614	Malda	286	11	3.85
615	Midnapore(East)	132	3	2.27
616	Midnapore(West)	1232	0	0.00
617	Murshidabad	351	13	3.70
618	Nadia	260	9	3.46
619	Purulia	1502	69	4.59
	<b>TOTAL=19</b>	<b>10321</b>	<b>326</b>	<b>3.16</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>ANDAMAN &amp; NICOBAR</b>				
620	North and Middle Andaman	6	0	0.00
621	South Andaman	17	1	5.88
622	Nicobar	3	0	0.00
	<b>TOTAL= 3</b>	<b>26</b>	<b>1</b>	<b>3.85</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>U.T. OF CHANDIGARH</b>				
623	Chandigarh	43	5	11.63

S.No.	Districts	New cases	No. of cases with	
-------	-----------	-----------	-------------------	--

		detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>DADAR &amp; NAGAR HAVELI</b>				
624	D&N Haveli	205	1	0.00
<b>TOTAL = 1</b>				

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>DAMAN &amp; DIU</b>				
625	Daman	2	1	50.00
626	Diu	0	0	0.00
<b>TOTAL=2</b>		<b>2</b>	<b>1</b>	<b>50.00</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>DELHI</b>				
627	East	105	0	0.00
628	North East	268	31	11.57
629	North	31	0	0.00
630	North West	263	0	0.00
631	West	175	7	4.00
632	South West	208	8	3.85
633	South	200	23	11.50
634	New Delhi	124	17	13.71
635	Central	34	0	0.00
<b>TOTAL=9</b>		<b>1408</b>	<b>86</b>	<b>6.11</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>PUDUCHERRY</b>				
636	Karaikal	10	0	0.00
637	Mahe	0	0	0.00
638	Pondicherry	61	3	4.92
639	Yanam	0	0	0.00
<b>TOTAL=4</b>		<b>71</b>	<b>3</b>	<b>4.23</b>

S.No.	Districts	New cases detected during 2010-11	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
<b>U.T. OF LAKSHADWEEP</b>				
640	L'dweep	0	0	0.00